



MERIDIAN

Range of uPVC Three Compartment Trunking



CURVED TO **PERFECTION**



Meridian Key Features

Design Features:

- External angle, flat tee and flat angle come with data sweep to maintain necessary bend radius and cable segregation.
- Flat tee and flat angle over lap trunking to prevent the need of additional joint couplers.
- Clip on accessories.
- Manufactured from high impact uPVC compound.
- High concentration of titanium dioxide blended into

ADAPTOR

Mini Trunking Adaptor
(16 x 25mm)

ADJUSTABLE BENDS

Adjustable internal & external bends for wall inaccuracies

HINGED LID

Hinged lid that acts as a cable retainer to ease installation

ADDITIONAL FEATURES

- | | |
|--|--|
|  Supplied with protective film and optional fixing kits |  PART M compliance available |
|  Generous size for greater cable capacity 173 x 60mm |  A range of colours and wood finish options |
|  Pre-pierced fixing holes for easy installation |  Anti-microbial option available |

Meridian Key Features

the uPVC compound for maintaining longer lasting colour stability.

- Contrasting grey centre lid available for Part M compliance.
- Optional screening available up on request.
- Internal angle comes with internal plate to maintain trunking integrity.

PRE-PIERCED

Pre-pierced fixing holes for easy installation

CABLE SWEEP

External data cable sweep for corner protection and segregation

COMPLIANCE

Cat 6 & 7 compliant bend radii

BOXES & PLATES

Outlet boxes or plates suited to wiring accessory installation

MERIDIAN

MERIDIAN uPVC Trunking

Centaur

uPVC Three Compartment Trunking



ACD 3



ACC 3




AECC 3



AIC 3



AEC 3



AFA 3


Three Compartment Dado Trunking

Description	Cat. No.	Pack Quantity
-------------	----------	---------------

Cat 6 & 7 compliant trunking c/w lids

ACD 3

2 x 3m



Coupler

Description	Cat. No.	Pack Quantity
-------------	----------	---------------

Radius dado coupler

ACC 3

2

End Cap

Description	Cat. No.	Pack Quantity
-------------	----------	---------------

Radius dado end cap

AECC 3

2

Adjustable Internal Angle

Description	Cat. No.	Pack Quantity
-------------	----------	---------------

Radius dado adjustable internal angle
c/w internal plate
(between 83° & 95°)

AIC 3

1

Adjustable External Angle

Description	Cat. No.	Pack Quantity
-------------	----------	---------------

Radius dado adjustable external angle
c/w data cable sweep
(between 40° & 95°)

AEC 3

1

Flat Angle


Description	Cat. No.	Pack Quantity
-------------	----------	---------------

Cat 6 & 7 compliant radius dado flat
angle

AFA 3

1

uPVC Three Compartment Accessories



AFT 3

Flat Tee

Description	Cat. No.	Pack Quantity
Cat 6 & 7 compliant radius dado flat tee c/w with segregator	AFT 3	1



ASB 2

Outlet Boxes

Description	Cat. No.	Pack Quantity
Outlet box, 1 gang, 32mm	ASB 1	10
Outlet box, 1 gang, 32mm, 4 pillar	ASB 1V	10
Outlet box, 2 gang, 32mm	ASB 2	10
Outlet box, 3 gang, 32mm	ASB 3	5
Outlet box, 1 gang, 40mm	ASBC6 1	10
Outlet box, 2 gang, 40mm	ASBC6 2	10



ASP 1

Outlet Plates


Description	Cat. No.	Pack Quantity
Outlet plate, 1 gang	ASP 1	15
Outlet plate, 2 gang	ASP 2	15



ACL 1

Separate Profiles

Description	Cat. No.	Pack Quantity
Base unit	AB 3	2 x 3m
Radius lid	ACH 3	4 x 3m
Centre lid	ACL 1	4 x 3m
Part M compliant centre lid - grey	ACL 1G	4 x 3m



ECR 110W

Extension Collars

Description	Cat. No.	Pack Quantity
1 Gang, round corners, 10mm	ECR 110W	10
1 Gang, square corners, 10mm	ECS 110W	10
2 Gang, round corners, 10mm	ECR 210W	10
2 Gang, square corners, 10mm	ECS 210W	10



AMC 2/3

Spares

Description	Cat. No.	Pack Quantity
Mini Trunking Adaptor (16 x 25mm)	AMC 2/3	2
Contrast plate - blue	APM 1BL	20
Contrast plate - grey	APM 1G	20
External corner data cable sweep	ACGE 3	6
Locking device c/w cap	ALD 3	50

Centaur

Pipers Road,
Park Farm Industrial Estate,
Redditch,
Worcestershire.
B98 0HU.



01527 528049



www.centaurmfg.com



sales@centaurmfg.com



The **MERIDIAN** Range From Centaur